



SFP-18 Eave Roof Panel



- * Effectively controls Ice and Snow with 3 Passes of Cable
- * Heats more than 18" up the roof deck
- * Comes with a 30 Year protective Kynar finish.
- * Sheet metal pieces come in 48" widths for ease of handling.
- * An economical and beautiful option to control ice dams for 18" eave overhangs.
- * System Parts List:
 - 1—4" Aluminum Extrusion
 - 1—6" Aluminum Extrusion
 - 1—SFP 24 ga. Kynar Steel Base
 - 1—SFP Cleat Drip Edge
 - 1—SFP 24 ga. Kynar Steel Cap
 - 1—SFP 24 ga. Kynar Steel Expansion Joint



- | | |
|--|---|
| 1. Chosen Roofing Material | 5. SFP-18 Base |
| 2. 12" Strip of Ice & Water Barrier | 6. SFP-Cleat |
| 3. SFP-18 Cover | 7. Structural Roof Sheeting |
| 4. 6" Extrusion with 2 Passes of heat cable and a 4" Extrusion with 1 Pass of heat cable | 8. 2806-R / 6 Watts per Foot Heat Cable |
| | 9. Full Roof Water Barrier |

Description

The Sno-Free 18" eave roof panel is an efficient method to control any ice dams that would form on a building with an overhang up to 20". With close to 24" of the deck covered, the SFP-18 panel will create all the open area for water to safely flow from the roof without the possibility to refreeze over unheated portions of the roof. The Sno-Free heated panel system gives an aesthetic look to any structure while keeping a more efficient and cleaner method to eliminate ice dam issues. All SFP systems come standard with a durable 30 year Kynar finish to match most desired looks.

Applications

For all buildings with a pitch greater than 4/12

For new roof installations:

- Asphalt Shingle
- Wood Shake Shingles
- Tile or Slate Roofs
- Standing Seam Metal

For installation on existing roofs:

- Asphalt Shingle
- Wood Shake Shingles

Key Sections

