


SFP-36 Eave Roof Panel



- * Effectively controls Ice and Snow with 5 Passes of Cable
- * Heats more than 36" up the roof deck
- * Comes with a 30 Year protective Kynar finish.
- * Sheet metal pieces come in 48" widths for ease of handling.
- * An economical and beautiful option to control ice dams for 36" eave overhangs.
- * System Parts List:

- 3—6" Aluminum Extrusion
- 1—SFP 24 ga. Kynar Steel Lower Base
- 1—SFP 24 ga. Kynar Steel Upper Base
- 1—SFP Cleat Drip Edge
- 1—SFP 24 ga. Kynar Steel Lower Cap
- 1—SFP 24 ga. Kynar Steel Upper Cap
- 1—SFP 24 ga. Kynar Steel Lower Exp. Joint
- 1—SFP 24 ga. Kynar Steel Upper Exp. Joint

Description

The Sno-Free 36" eave roof panel is an efficient method to control any ice dams that would form on a building with an overhang up to 40". With close to 42" of the deck covered, the SFP-36 panel will create all the open area for water to safely flow from the roof without the possibility to refreeze over unheated portions of the roof. The Sno-Free heated panel system gives an aesthetic look to any structure while keeping a more efficient and cleaner method to eliminate ice dam issues. All SFP systems come standard with a durable 30 year Kynar finish to match most desired looks.

Applications


For all buildings with a pitch greater than 4/12

For new roof installations:

- Asphalt Shingle
- Wood Shake Shingles
- Tile or Slate Roofs
- Standing Seam Metal

For installation on existing roofs:

- Asphalt Shingle
- Wood Shake Shingles



Key Sections

- | | |
|---|-----------------------------|
| 1. Chosen Roofing Material | 6. Lower SFP-36 Cap |
| 2. 12" Strip of Ice & Water Barrier | 7. Lower SFP-36 Base |
| 3. Upper SFP-36 Cap | 8. Structural Roof Sheeting |
| 4. Upper SFP-36 Base | 9. SFP-Cleat |
| 5. 3—6" Extrusions with 5 Passes of cable | 10. Full Roof Water Barrier |

