

HEAT TRAK, LLC

Portable Snow & Ice Melting Products *Rubber Top Stair Treads*



HeatTrak™ portable snow & ice melting stair treads are an efficient and convenient way to eliminate snow and ice accumulation on stairs. The HeatTrak™ rubber top stair tread plugs into any standard 120V or 240V outlet, melting up to two inches of falling snow per hour.

The HeatTrak™ stair treads are made of an electrically operated heating element sandwiched between two protective surfaces of non-slip rubber. The stair treads are extremely durable and are designed to be left outside for the entire winter season.



The HeatTrak™ stair treads are available in 9" and 11" widths, and 2', 3', 4' and 5' lengths. The HeatTrak™ rubber top stair treads are connected together with a single wire and sold in groups of 3, 4, and 5. Each group of stair treads has a 15-foot power cord that plugs into standard outlets using its own equipment leakage circuit interrupter (ELCI).



The HeatTrak™ stair treads are designed with a series of 5/16" diameter brass grommets along each edge to make securing the stair treads both simple and effective. See the HeatTrak™ stair tread instruction manual for recommended methods of securing the stair treads.

To ensure the product's reliability, all HeatTrak™ products are built and tested according to the UL499 and CSA e335-1 electrical standards before leaving our facility. In addition, all HeatTrak™ products come with a 2-year manufacturer's warranty.

HEAT TRAK™

Corporate Headquarters

Heat Trak, LLC
124 Montgomery Street Suite L1
Highland Park, NJ 08904
Toll Free: (866) Snow Mat
Direct: (732) 317 1030
Fax: (866) 958 1442
Website www.HeatTrak.com

Product Specifications

Surface


Thickness	1/4 inch thick
Chevron height	0.125 inch
Minimum bend radius	3 in.
Material	Reinforced UV stabilized butyl rubber

Heating Element

Voltage	35Watt/ LF
Power density	120/ 240Vac

In-line Safety Device/Power Cord

Service voltage	120Vac or 240Vac
Circuit breaker rating	15 Amp
ELCI trip level	27 mA
Cold lead length (nominal)	15 ft.
Cold lead gauge	14/3



Size	Rubber \$MSRP	Watts	Amps	Volts	Weight (lbs)
9" x 2'	\$125.00	45.0	0.4 / 0.2	120 / 240	4.1
9" x 3'	\$140.00	75.0	0.6 / 0.3	120 / 240	6.1
9" x 4'	\$175.00	105.0	0.9 / 0.4	120 / 240	8.2
9" x 5'	\$185.00	127.5	1.1 / 0.5	120 / 240	10.2
11" x 2'	\$125.00	52.5	0.4 / 0.2	120 / 240	5.0
11" x 3'	\$140.00	87.5	0.7 / 0.4	120 / 240	7.5
11" x 4'	\$175.00	122.5	1.0 / 0.5	120 / 240	10.0
11" x 5'	\$185.00	148.8	1.2 / 0.6	120 / 240	12.5

Approximate Cost to Operate per hour (per stair)

Based on a range of average cost per kilowatt hour

Size	\$0.06	\$0.12	\$0.15	\$0.18	\$0.21	\$0.24
9" x 2'	\$0.003	\$0.005	\$0.007	\$0.008	\$0.009	\$0.011
9" x 3'	\$0.005	\$0.009	\$0.011	\$0.014	\$0.016	\$0.018
9" x 4'	\$0.006	\$0.013	\$0.016	\$0.019	\$0.022	\$0.025
9" x 5'	\$0.008	\$0.015	\$0.019	\$0.023	\$0.027	\$0.031
11" x 2'	\$0.003	\$0.006	\$0.008	\$0.009	\$0.011	\$0.013
11" x 3'	\$0.005	\$0.011	\$0.013	\$0.016	\$0.018	\$0.021
11" x 4'	\$0.007	\$0.015	\$0.018	\$0.022	\$0.026	\$0.029
11" x 5'	\$0.009	\$0.018	\$0.022	\$0.027	\$0.031	\$0.036



All of the above information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. HeatTrak makes no warranties as to the accuracy or completeness of the information, and disclaims any liability regarding its use. HeatTrak's only obligations are those in the Standard Terms and Conditions of Sale for this product, and in no case will HeatTrak be liable for any incidental, indirect, or consequential damages arising from the sale, resale, use, or misuse of the product. Specifications are subject to change without notice. In addition, HeatTrak reserves the right to make changes in materials or processing, which do not affect compliance with any applicable specification, without notification to Buyer.

Corporate Headquarters
 Heat Trak, LLC
 124 Montgomery Street Suite L1
 Highland Park, NJ 08904
 Toll Free: (866) Snow Mat
 Direct: (732) 317 1030
 Fax: (866) 958 1442
 Website www.HeatTrak.com